

Specifications Schedule

CE-Certified LaserShields

UV-Visible


EC2 \$90.0 per pair

CE Rating

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB4
>315–398	DIRM LB5
9000–11000	DI LB3

Optical Density

Wavelength (nm)	ODs
190–398	7+
9000–11000	7+




EC3 \$150.0 per pair

CE Rating

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB3
>315–375	DIRM LB5
9000–11000	DI LB4

Optical Density

Wavelength (nm)	ODs
190–380	5+
9000–11000	7+




BD1 \$165.0 per pair

CE Rating

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB4
>315–410	DIRM LB5

Optical Density

Wavelength (nm)	ODs
190–410	5+




YLW \$130.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB8 + IR LB4
>315–460	DIR LB5

Optical Density


Wavelength (nm)	ODs
190–450	6+
>450–460	5+

**KTP** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–435 + 523–535	DIRM LB5
532	DIRM LB6

Optical Density


Wavelength (nm)	ODs
190–435	5+
523–535	5+
532	6+

**AG4** \$165.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
532	DIR LB4
520–535	DIR LB3

Optical Density


Wavelength (nm)	ODs
190–400	5+
520–535	3+
532	4+

**ARG** \$100.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
>315–532	DIRM LB6

Optical Density

Wavelength (nm)	ODs
180–532	7+




ZSY \$165.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
>315–390	DIRM LB5
0.1W 2*10E-5J 532	RB2 NOIR CE
561	D LB5 + IR LB6

Optical Density


Wavelength (nm)	ODs
190–400	7+
532	2+
561	5+

**ZS2** \$175.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
>315–390	DIRM LB5
532 + 561	D LB5 + IR LB6

Optical Density


Wavelength (nm)	ODs
190–400	6+
532	6+
561	6+

**GRY** \$185.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–532	DIR LB6
577	DIR LB5

Optical Density


Wavelength (nm)	ODs
190–532	6+
577	5+

**TRC** \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
>315–390	DIRM LB5
575–579	DIRM LB5

Optical Density

Wavelength (nm)	ODs
190–400	6+
575–579	5+




DYE \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB6 + R LB4
>315–395	DR LB4
>575–600	DI LB4
582–598	I LB6
585–595	I LB7

Optical Density


Wavelength (nm)	ODs
190–400	5+
576–600	5+
582–598	6+
585–595	7+

**DYG** \$210.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
585–<590	D LB4 + I LB5
590–600	D LB4 + I LB6
950–1064	D LB5 + IR LB6
>1064–1070	DIR LB5

Optical Density


Wavelength (nm)	ODs
190–400	5+
585–<600	6+
950–1064	6+
>1064–1070	5+

**DY2** \$210.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
580–590 + 645–670	DIR LB5
585 + 650–665	D LB5 + IR LB6

Optical Density

Wavelength (nm)	ODs
190–400	5+
580–590	5+
585	6+
645–670	5+
650–665	6+




LUT \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
Pending	

Optical Density

Wavelength (nm)	ODs
580–590 + 645–670	5+
585+ 660–665	6+
620–630	4+

EN207 Pending
Luminous transmittance: 12% Blue


**DY3** \$175.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
645–670	DIR LB5
650–665	D LB5 + IR LB6

Optical Density

Wavelength (nm)	ODs
190–400	5+
645–670	5+
650–665	6+

EN207 Certified
Luminous transmittance: 36% Aqua


**DY5** \$175.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
640–665	D LB5 + IR LB6
>665–680	DIR LB5

Optical Density

Wavelength (nm)	ODs
532	1.8
640–680	5.3+
650	6.5+

EN207 Certified
Luminous transmittance: 8% Aqua


**ZS1** \$175.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
>315–390	DIRM LB5
655–664	D LB4 + IR LB5
659	D LB5 + IR LB6

Optical Density

Wavelength (nm)	ODs
190–400	6+
655–664	5+
659	6+

EN207 Certified
Luminous transmittance: 34% Aqua




DI4 \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + R LB3
>315–395	D LB5 + R LB6
625–670 + >800–830	I LB4
625–830	DR LB4
>670–800	I LB5
>830–850	DIR LB3
>850–860	DIR LB2
10600	DI LB2

Optical Density


Wavelength (nm)	ODs
190–400	5+
625–850	4+
633	5+
662–835	5+

**RB2** \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB6 + R LB4
>315–400	DR LB4
>615–660	DIR LB3
>660–665	DIR LB4
>665–715	D LB4 + IR LB5
694	IR LB7

Optical Density


Wavelength (nm)	ODs
190–400	6+
615–720	3+
651–670	4+
671–715	5+
680–710	6+
690–700	7+

**RB3** \$165.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB5 + R LB4
>315–400	D LB4
625–665	DIR LB1
>665–693	DIR LB2
694–700	D LB4 + I LB7 + R LB6
>700–710	D LB4 + IR LB6
>710–720	DIR LB2

Optical Density

Wavelength (nm)	ODs
190–400	5+
630–665	1.5+
680–710	5+
685–705	6+
694	7+




CT2 \$200.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
630–711	DIR LB5
648–708	D LB5 + IR LB6
651–704	D LB5 + IR LB7
654–699	D LB5 + IR LB8
712–713	DIR LB4
714–717	DIR LB3

Optical Density


Wavelength (nm)	ODs
630–711	5+
648–708	6+
651–704	7+
654–699	8+
712–713	4+
714–717	3+

**IR - 755 / 810 / 980 / 1064 / 532 Combos and fs pulses****LIA** \$170.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB8 + IR LB4
>315–390	D LB4 + IR LB6
730–760	DIR LB5
745–760	R LB5
750–760	I LB7

Optical Density


Wavelength (nm)	ODs
180–400	5+
730–760	5+
750–760	7+

**ALX** \$175.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
720–830	I LB7 + R LB6
720–840	D LB5
>830–840	I LB6 + R LB5

Optical Density

Wavelength (nm)	ODs
190–400	5+
720–830	7+
830–840	6+




AXX \$170.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB8 + IR LB4
>315–390	DIRM LB6
720–810	D LB6 + IM LB7 + R LB5
>810–830	DIRM LB5

Optical Density


Wavelength (nm)	ODs
190–400	6+
720–810	7+
>810–830	5+

**CYN** \$170.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB8 + R LB4
>315–430	D LB4 + IR LB6
730–1085	DIR LB5
745–765	DIR LB6
750–760	D LB6 + IRM LB7
1064	D LB6 + IRM LB7

Optical Density


Wavelength (nm)	ODs
190–435	5+
730–1085	5+
755	7+
1064	7+

**SMI** \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
747–767	DIR LB5
1061–1067	DIR LB4

Optical Density

Wavelength (nm)	ODs
180–400	5+
720–770	4+
730–767	5+
960–1067	4+
990–1040	5+




DI8 \$180.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB6 + R LB4
>315–399	D LB5 + IR LB6
800–830	D LB4 + IR LB5
805–825	D LB5 + IRM LB7

Optical Density


Wavelength (nm)	ODs
190–400	5+
800–830	5+
805–825	7+

**DI2** \$170.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB6 + R LB4
>315–390	D LB4 + R LB6
785–800 + >818–830	D LB4 + I LB5
>800–818	DR LB5 + IM LB6
10600	DI LB2

Optical Density


Wavelength (nm)	ODs
180–390	6+
785–830	5+
800–818	6+

**DLS** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
785–830	D LB5 + IR LB7

Optical Density


Wavelength (nm)	ODs
180–400	6+
785–830	7+

**DI1** \$135.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
795–820	DIR LB4

Optical Density

Wavelength (nm)	ODs
795–820	4+



DI3 \$195.0 per pair

EN207 Certified


Luminous transmittance: 32% Amber

CE Rating

Wavelength (nm)	L-Ratings
180–315	D LB7 + R LB4
>315–532	D LB4 + IRM LB6
450–532 + 787–830	D LB5 + IRM LB6

Optical Density

Wavelength (nm)	ODs
190–532	6+
785–830	5+
800–815	6+

**ML1** \$190.0 per pair

EN207 Certified


Luminous transmittance: 45% Green

CE Rating

Wavelength (nm)	L-Ratings
190–315	D LB8 + IR LB4
>315–420	DIR LB5
>420–445	DIR LB4
765–1100	DIRM LB5
775–1085	D LB5 + IRM LB6
790–1080	D LB6 + IRM LB7
950–1085	DIRM LB6

Optical Density

Wavelength (nm)	ODs
190–420	5+
765–1100	5+
775–1085	6+
790–1080	7+

**DD2** \$160.0 per pair

EN207 Certified


Luminous transmittance: 56% Yellow

CE Rating

Wavelength (nm)	L-Ratings
765–1080	DIR LB3
780–855 + 950–1070	DIR LB4
795–835 + 980–1050	DIR LB5

Optical Density

Wavelength (nm)	ODs
765–1080	3+
780–855 + 950–1070	4+
795–835 + 980–1050	5+




DD1 \$160.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
850–1090	DIR LB3
915–1075	DIR LB4
965–1065	DIR LB5

Optical Density


Wavelength (nm)	ODs
850–1090	3+
915–1075	4+
965–1065	5+

**YG5** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
1025–1075	DIR LB5 + M LB5Y
1035–1070	DIR LB6 + M LB6Y
1045–1065	DIR LB7 + M LB7Y

Optical Density


Wavelength (nm)	ODs
190–400	5+
1025–1075	5+
1035–1070	6+
1045–1065	7+

**YG3** \$170.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB8 + IR LB4 + M LB6Y
>315–425	DIRM LB5
790–<808	DIRM LB3
808–840	DIRM LB4
>840–950	DIRM LB5
>950–1080	D LB6 + IRM LB7
1080–1090	DIRM LB5

Optical Density

Wavelength (nm)	ODs
190–400	5+
808–840	4+
>840–950	5+
>950–1080	7+
>1080–1090	5+




YG4 \$235.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
750–800 + >1100–1120	DIR LB6 + M LB6Y
>800–1100	D LB6 + IR LB7 + M LB7Y

Optical Density


Wavelength (nm)	ODs
190–400	6+
750–1120	6+
800–1100nm	7+

**YG2** \$185.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB6 + R LB4
>315–400	DR LB4
720–725	DM LB5
720–750 + >1064–1075	IR LB5
>725–1075	DM LB6
>750–1064	IRM LB7

Optical Density


Wavelength (nm)	ODs
180–400	6+
720–1090	5+
750–1064	7+

**DBY** \$210.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + R LB4
>315–534	D LB5 + IRM LB6
850–925	DIRM LB5
>925–980	D LB5 + IRM LB6
>980–1064	D LB6 + IRM LB7
>1064–1085	DIRM LB5

Optical Density

Wavelength (nm)	ODs
190–534	7+
850–925	5+
925–1070	6+
960–1064	7+




YGH \$235.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB6 + IR LB5 + M LB6Y
316–400	DIRM LB6
525–540	DIRM LB5
532–535	D LB6 + IR LB7 + M LB7Y
1025–1080	DIRM LB5
1035–1070	DIRM LB6
1045–1065	D LB6 + IR LB7 + M LB7Y

Optical Density


Wavelength (nm)	ODs
190–400	6+
525–540 + 1025–1080	5+
1035–1070	6+
532–535 + 1045–1065	7+

**TRI** \$225.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
>315–400	DIRM LB5
>400–534	D LB5 + IRM LB6
720–770 + >850–1080	DIRM LB5
750–765 + 980–1065	D LB5 + IR LB7 + M LB7Y
>770–850	DIRM LB4

Optical Density


Wavelength (nm)	ODs
180–534	7+
720–770	5+
750–760	7+
770–850	4+
850–1080	5+
980–1064	7+

**CND** \$285.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
Pending	

Optical Density

Wavelength (nm)	ODs
532 + 785 + 1064	7+
750–790	6+
740–795	5+




DBD \$235.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB3
>315–532	D LB5 + IRM LB7
760–<770 + >1075–1085	DIR LB5
770–<800 + >820–960	DIRM LB6
>1064–1075	DIRM LB6
800–820 + >960–1064	D LB6 + IRM LB7

Optical Density


Wavelength (nm)	ODs
190–534	7+
760–1090	5+
790–850	7+
>850–960	6+
>960–1070	7+

**PWV** \$275.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
Pending	

Optical Density


Wavelength (nm)	ODs
190–532	8+
730–1110	5+
745–1100	7+
753–765	9+
765–800	10+
>800–980	8+
>980–1065	10+

**YAD** \$275.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + R LB4
>315–534 + 730–740	D LB5 + IRM LB6
>740–1070	D LB6 + IRM LB7

Optical Density

Wavelength (nm)	ODs
180–534	7+
720–730	5+
>730–740	6+
>740–1070	7+




YGN \$210.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D LB7 + IR LB4
>315–390	DIRM LB5
808–850	DIR LB4
>850–1075	DIR LB5
910–1070	DIR LB6 + M LB6Y
1W 2*10E-4J 532	RB3

Optical Density


Wavelength (nm)	ODs
190–400	5+
532	3+
808–850	4+
>850–1075	5+
910–980	6+
>980–1070	7+

**ELX** \$185.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D L7 + R L4
>315–450	D L4 + IR L6
450–532	D L5 + IR L6
>670–675	DIR L4
>675–690	DIR L6
>690–695	DIR L4
900–1070	DIR L5

Optical Density


Wavelength (nm)	ODs
190–532	5+
670–690	5+
900–1070	5+

**Broadband IR****CTR** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
770–800	DIR LB5
>800–810	DIR LB6
>810–1100	DR LB6 + I LB7
>1100–1800	DIR LB1

Optical Density

Wavelength (nm)	ODs
500–770	0.5+
770–810	5+
>810–1100	7+
>1100–1800	1.5+




IRD2 \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
785-<830	DIR LB2
830-1700	DIR LB3

Optical Density


Wavelength (nm)	ODs
190-400	5+
785-<830	2+
830-1700	3+

**IRD** \$170.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180-315	D LB6 + R LB4
>315-400	DR LB4
>770-820	DIR LB2
>820-865	DIR LB3
>865-940	DIR LB4
>940-1064	DIRM LB5
>1064-1400	DIRM LB4
>1400-1850	DI LB2

Optical Density


Wavelength (nm)	ODs
190-450	6+
770-1800	2+
820-1720	3+
870-1600	4+
940-1070	5+

**IRD5** \$180.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190-315	D LB8 + IR LB3
>315-480	D LB5 + IR LB6
775-795	DIR LB4
>795-820	DIR LB5
>820-1400	D LB5 + IR LB6
>1400-1880	DIR LB2

Optical Density

Wavelength (nm)	ODs
190-480	6+
800-1790	5+
820-950	6+
>950-1400	7+
>1400-1750	6+




IRD4 \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
1400–1550	DI LB3

Optical Density

Wavelength (nm)	ODs
190–400	5+
1400–1550	4+
1410–1510	5+

EN207 Certified
Luminous transmittance: 32% Amber


**Holmium - Erbium 2100-3000nm Combos****HOY** \$165.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
1400–1450	DI LB1
>1450–1650	DI LB2
>1650–1800	DI LB3
>1800–3000 + 5200–11000	DI LB4

Optical Density

Wavelength (nm)	ODs
190–400	5+
1450–1650	2+
>1650–1775	3+
>1775–3000	4+
1980–2550	5+
5200–11000	5+
9000–10600	6+

EN207 Certified
Luminous transmittance: 41% Grey


**HYG** \$200.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
1025–1075	DIRM LB5
1035–1070	DIRM LB6
1045–1065	D LB6 + IR LB7 + M LB7Y
1450–1650	DIR LB2
>1650–1775	DI LB3 + R LB3Y
>1775–3000	DI LB4 + R LB3Y
5200–11000	DI LB4 + R LB3Y

Optical Density

Wavelength (nm)	ODs
1025–1075	5+
1035–1070	6+
1045–1065	7+
1450–1650	2+
>1650–1775	3+
>1775–3000	4+
1980–2550	5+
5200–11000	5+
9000–10600	6+

EN207 Pending
Luminous transmittance: 23% Grey




ERB \$140.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180–315	D L8
180–390	IR L4
>315–390	D L4
2780–2940	DI L2
10600	DI L2

Optical Density

Wavelength (nm)	ODs
190–398	5+
2780	5+
2940	6+
10600	5+

EN207 Certified
Luminous transmittance: 93% Clear


**DRB** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB4
>315–390	DIRM LB5
785–830	D LB4 + IR LB5
800–818	D LB4 + IR LB6
2780–2940	DI LB2

Optical Density

Wavelength (nm)	ODs
190–390	6+
785–830	5+
800–818	6+
2700–2950	5+

EN207 Certified
Luminous transmittance: 61% Pink


**YRB** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB4
>315–400	DIRM LB5
808–840	DIR LB4
>840–950	D LB4 + IR LB5
>950–1070	D LB4 + IR LB6
2780–2940	DI LB2

Optical Density

Wavelength (nm)	ODs
190–380	5+
808–840	4+
>840–950	5+
950–1070	7+
2700–2950	5+

EN207 Certified
Luminous transmittance: 65% Green


**Low OD for Multi-Lin Visible, IR and LLLT**

BTL \$175.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
670–695	DIR LB2
805–820	D LB6 + IR LB7Y
915–1075	DI LB6 R LB6Y
760–1100	DIR LB4
775–1085	DIR LB5

Optical Density


Wavelength (nm)	ODs
670–695	2+
760–1100	4+
775–1085	5+
915–1075	6+
805–820	7+

**AST** \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
650–670	DIR LB2
660	DIR LB6
808–825	DIR LB5

Optical Density


Wavelength (nm)	ODs
590–690	1+
650–670	2+
660	6+
808–825	6+

**DI6** \$150.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
610–664 + 735–789	DIR LB1
665–669 + >690–698	DIR LB2
670–690 + 808–1050	DIR LB3
790–807 + >1050–1080	DIR LB2

Optical Density

Wavelength (nm)	ODs
610–664	1+
665–<670	2+
670–690	3+
>690–698	2+
735–789	1+
790–<808	2+
808–1050	3+
>1050–1080	2+




TP1 \$150.0 per pairEN207 Certified
Luminous transmittance: 58% Tan**CE Rating**

Wavelength (nm)	L-Ratings
780–<800 + >890–920	DIR LB2
800–890	DIR LB3

Optical Density


Wavelength (nm)	ODs
780–<800	2+
800–890	3+
>890–920	2+

**TP2** \$150.0 per pairEN207 Certified
Luminous transmittance: 36% Aqua**CE Rating**

Wavelength (nm)	L-Ratings
655–685 + 785–830	DIR LB3
650–<655 + >685–690	DIR LB2
770–<785 + >830–845	DIR LB2

Optical Density


Wavelength (nm)	ODs
650–<655	2+
655–685	3+
>685–690	2+
770–<785	2+
785–830	3+
>830–845	2+

**ML3** \$155.0 per pairEN207 Certified
Luminous transmittance: 16% Blue**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB4
>315–395	D LB5 + IRM LB6
630–660 + 800–915	DIR LB3
>660–670 + 780–920	DIR LB2

Optical Density


Wavelength (nm)	ODs
190–400	5+
630–660	3+
660–670	2+
780–920	2+
800–915	3+

**DIW** \$135.0 per pairEN207 Certified
Luminous transmittance: 15% Green**CE Rating**

Wavelength (nm)	L-Ratings
315–420 + >625–715	DIR LB3
582–625	DIR LB2

Optical Density

Wavelength (nm)	ODs
190–400	5+
405–420	3+
585–625	2.5+
626–710	3+



Visible Alignment


ABL \$125.0 per pair

CE Rating

Wavelength (nm)	L-Ratings
0.1W 2*10E-5J 430-470	RB2

Optical Density

Wavelength (nm)	ODs
190-400	5+
430-470	2+




AL3 \$95.0 per pair

CE Rating

Wavelength (nm)	L-Ratings
180-315	D LB6 + R LB4
>315-395	D LB4 + IR LB6
>395-540	DIR LB3
1W 2*10E-4J 488-540	RB3

Optical Density

Wavelength (nm)	ODs
180-395	5+
395-540	3+




AG2 \$145.0 per pair

CE Rating

Wavelength (nm)	L-Ratings
0.1W 2*10E-5J 524-532	RB2

Optical Density

Wavelength (nm)	ODs
190-400	5+
524-532	2+




AG3 \$155.0 per pair

CE Rating

Wavelength (nm)	L-Ratings
0.1W 2*10E-5J 518-523 + 533-536	RB2
1W 2*10E-4J 524-532	RB3

Optical Density

Wavelength (nm)	ODs
190-400	5+
518-523 + 533-536	2+
524-532	3+




PBG \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
0.01W 2*10E-6J 445-450	RB1
0.1W 2*10E-5J 520-532	RB2

Optical Density


Wavelength (nm)	ODs
190-400	5+
445-450	1.5+
520	2+
532	2.5+

**ABG** \$145.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
0.1W 2*10E-5J 445-470	RB2
1W 2*10E-4J 524-532	RB3

Optical Density


Wavelength (nm)	ODs
180-400	5+
445-470 + 520	2+
524-532	3+

**AGR** \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
0.01W 2*10E-6J 532 + 633-640	RB1
5-2.5 NOIR 1 S	CE

Optical Density

Wavelength (nm)	ODs
190-400	5+
532	1.5+
633-640	1+




MLA \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB7 + IR LB4
>315–400	DIRM LB5
.01W 2*10E-6J 532	RB1
.01W 2*10E-6J 630–<636	RB1
.1W 2*10E-5J 636–640	RB2

Optical Density


Wavelength (nm)	ODs
190–430	5+
525–532	1.5+
632–659	1.4+
640–650	2.5+

**BGR** \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
0.01W 2*10E-6J 455–485	RB1
0.01W 2*10E-6J 532–538	RB1
0.01W 2*10E-6J 632–640	RB1
5–2.5 NOIR 1 S	CE

Optical Density


Wavelength (nm)	ODs
190–400	5+
440–470	1.5+
532	1.5+
632–640	1+

**RT1** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
430–445 + 532 + 805– 825	DIR LB3
>825–950	DIR LB2
>950–1064	DIR LB3

Optical Density

Wavelength (nm)	ODs
190–430	5+
430–445	3+
532	3+
805–825	3+
>825–950	2+
>950–1064	3+




RT2 \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
430-445 + 610-670	DIR LB1
640-650 + >825-950	DIR LB2
532 + 805- 825 + >950- 1064	DIR LB3

Optical Density

Wavelength (nm)	ODs
190-430	5+
> 430-445	1.5+
532	3+
610-670	1+
640-650	2+
805-825	3+
>825-950	2+
>950-1064	3+

EN207 Certified
Luminous transmittance: 10% Grey


**ZSA** \$145.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180-315	D LB7 + IR LB4
>315-390	DIRM LB5
1W 2*10E-4J 532 + 561 + 659	RB3

Optical Density

Wavelength (nm)	ODs
190-400	6+
532	3+
561	3+
654-664	2+
659	3+

EN207 Certified
Luminous transmittance: 10% Purple


**SRN** \$155.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
Pending	

Optical Density

Wavelength (nm)	ODs
190-400	6+
410	2+
570	2+
585	2+

EN207 Pending
Luminous transmittance: 30% Orange




RA2 \$115.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
0.1W 2*10E-5J 630- <638	RB2
1W 2*10E-4J 638- <652	RB3
0.1W 2*10E-5J 652-660	RB2

Optical Density

Wavelength (nm)	ODs
190-400	5+
625-660	2+

EN207 Certified
Luminous transmittance: 40% Aqua


**RA3** \$115.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
1W 2*10E-4J 630- <633	RB3
1W 2*10E-4J 656-660	RB3
10W 2*10E-3J 633- <656	RB4

Optical Density

Wavelength (nm)	ODs
190-400	5+
625-660	3+

EN207 Certified
Luminous transmittance: 32% Aqua


**DIA** \$95.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
180-315	D LB6 + R LB4
>315-395	D LB4
.01W 2*10E-6J 605-642	RB1
.1W 2*10E-5J 643-695	RB2

Optical Density

Wavelength (nm)	ODs
190-380	5+
630-700	1.5+

EN207 Certified
Luminous transmittance: 39% Blue


**Broadband UV-V-IR and IPL**

2PL \$60.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
2 NOIR 1 F	CE

Optical Density


Wavelength (nm)	ODs
190–1200	

**3PL** \$60.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
3 NOIR 1 F	CE

Optical Density


Wavelength (nm)	ODs
190–1200	

**5PL** \$60.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
6 NOIR 1 F	CE

Optical Density


Wavelength (nm)	ODs
190–1200	

**YPL** \$195.0 per pair**CE Rating**

Wavelength (nm)	L-Ratings
190–315	D LB6 + R LB4
>315–390	D LB2 + R LB4
560–950	DIR LB1
860–1400	D LB4 + I LB5
>950–1070	D LB5 + I LB6
>1400–1500	DI LB3

Optical Density

Wavelength (nm)	ODs
190–390	6+
560–950	1+
1064	6+
1300–1500	4.5+

**Mineral Glass**

